

Application No. 10/749,059
Amendment "B" dated April 14, 2006
Reply to Office Action mailed January 9, 2006

AMENDMENTS TO THE CLAIMS

This listing of claims replaces all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Cancelled)
2. (Currently Amended) A dental curing light as recited in claim 124, wherein ~~said further comprising an insulating layer comprises in the form of an air gap separating at least a portion of the first elongated solid metallic portion of the heat sink from the housing.~~
3. (Cancelled)
4. (Previously Presented) A dental curing light as recited in claims 23 or 24, the first elongated solid metallic portion of the heat sink comprising at least one of aluminum, brass, copper, steel, or silver.
5. (Previously Presented) A dental curing light as recited in claims 23 or 24, the first elongated solid metallic portion of the heat sink comprising a thermally-conductive ceramic comprising at least one metal oxide.
6. (Previously Presented) A dental curing light as recited in claims 23 or 24, the light source comprising at least one LED.
7. (Previously Presented) A dental curing light as recited in claims 23 or 24, further comprising a lens sized and configured so as to focus light emitted from the light source in a desired manner.
8. (Previously Presented) A dental curing light as recited in claims 23 or 24, the light source being powered by and external power source.

Application No. 10/749,059
Amendment "B" dated April 14, 2006
Reply to Office Action mailed January 9, 2006

9. (Previously Presented) A dental curing light as recited in claims 23 or 24, further comprising an integral battery pack for powering the light source.

10. (Previously Presented) A dental curing light as recited in claims 23 or 24, wherein said housing comprises one or more controls for selectively activating the light source.

11. (Previously Presented) A dental curing light as recited in claims 23 or 24, wherein the second elongated polymer-based portion of the heat sink makes physical contact with the electronic circuitry.

12. (Cancelled)

13. (Cancelled)

14. (Previously Presented) A dental curing light as recited in claims 23 or 24, wherein the second elongated polymer-based portion of the heat sink comprises at least one of an epoxy-based or silicone-based resin.

15. (Currently Amended) A dental curing light as recited in claims ~~23~~ or 24, wherein the second elongated polymer-based portion of the heat sink comprises at least one polymer and at least one heat conductive filler.

16. (Previously Presented) A dental curing light as recited in claims 23 or 24, wherein the second elongated polymer-based portion of the heat sink comprises at least one of a solid, liquid or gel.

17 – 22 (Cancelled)

Application No. 10/749,059
Amendment "B" dated April 14, 2006
Reply to Office Action mailed January 9, 2006

23. (Previously Presented) A dental curing light, comprising:
- an elongated housing having a proximal end and a distal end, with a handle portion disposed between the proximal and distal ends;
 - a light source disposed at the distal end of the housing;
 - electronic circuitry disposed within the handle portion of the housing for controlling the light source; and
 - a heat sink disposed within the elongated housing for transferring heat generated by the light source away from the distal end and for dissipating the heat that is transferred away from the light source, said heat sink comprising,
 - a first elongated solid metallic portion having proximal and distal ends, said distal end in thermal contact with the light source and extending from the light source through at least a portion of the elongated housing;
 - a second elongated portion comprised of a polymer-based material that is not electrically conductive, said second portion in thermal contact with the first elongated solid metallic portion at its proximal end, said second elongated portion extending through said handle portion of the housing and surrounding at least a portion of the electronic circuitry contained therein.

Application No. 10/749,059
Amendment "B" dated April 14, 2006
Reply to Office Action mailed January 9, 2006

24. (Previously Presented) A dental curing light, comprising:
- an elongated housing having a proximal end and a distal end, with a handle portion disposed between the proximal and distal ends;
 - a light source disposed at the distal end of the housing;
 - electronic circuitry disposed within the handle portion of the housing for controlling the light source; and
 - a heat sink disposed within the elongated housing for transferring heat generated by the light source away from the distal end and for dissipating the heat that is transferred away from the light source, said heat sink comprising,
 - a first elongated solid metallic portion having proximal and distal ends, said distal end in thermal contact with the light source and extending from the light source through at least a portion of the elongated housing;
 - a second elongated portion comprised of a polymer-based material that is not electrically conductive, said second portion in thermal contact with the first elongated solid metallic portion at its proximal end, said second elongated portion extending through said handle portion of the housing and surrounding at least a portion of the electronic circuitry contained therein; and
 - an insulating layer surrounding the first elongated solid metallic portion so as to insulate it from the housing.